

Product: Anti-Aging Prime

Description

Anti-Aging Prime is a food supplement developed to complement a nutritional approach focused on healthy ageing, vitality and the maintenance of cellular balance. Its formula combines bioactive compounds, amino acids, polyphenols, herbal extracts and biotin, including pterostilbene, liposomal NAD⁺, spermidine, among others, to achieve the best results.



Function

Anti-Aging Prime by Ecogenetics is intended to complement the diet with a combination of nutrients and bioactive compounds selected for their scientific relevance and complementary action, as part of a strategy focused on vitality, longevity and healthy ageing.

The formula was developed around different areas of nutritional and physiological interest:

- energy metabolism and cellular availability of NAD⁺;
- oxidative balance and protection of cellular components;
- maintenance of cellular homeostasis;
- processes associated with autophagy and cellular renewal;
- protection against glycation processes and formation of advanced glycation end products;
- support for the body's response to stress;
- normal maintenance of skin, hair, mucous membranes and macronutrient metabolism.

The combination of liposomal NAD⁺, pterostilbene, spermidine, magnolol, honokiol, ellagic acid, quercetin, carbinine, taurine, reduced glutathione, shilajit, saffron, piperine and biotin provides an integrated nutritional approach suitable for those who value preventive support, ongoing care and a routine focused on longevity.

Due to the diversity and specificity of its constituents, it offers a premium and differentiated solution for therapists and healthcare professionals to integrate, when deemed appropriate, into individualised supplementation plans. For consumers, it provides a practical way to combine, in a single daily intake, carefully selected ingredients designed to support the body's needs over time.

Product: Anti-Aging Prime

Directions for Use / Warnings

Adults should take 3 capsules daily or as directed by a healthcare professional. We recommend taking 3 capsules daily, 5 days per week, taking a 2-day break and repeating. Do not exceed the recommended daily dose. If you have any health condition, consult your doctor first. Food supplements should not be used as a substitute for a varied and balanced diet and a healthy lifestyle. Not recommended for persons under 18 years of age, pregnant or breastfeeding women, unless prescribed/recommended by a doctor/pharmacist. Store in a cool, dry place. Keep out of reach of children.

Packaging



- Pack size: 150cc
- Net Weight: 41,4g
- Total Weight: g
- Type: capsules
- Quantity: 60
- No. of packs per case: 36
- VAT 23%
- Reference: 1001282
- Barcode: 5600283759340

Indications

ANTI-AGING PRIME is a food supplement developed to complement a routine focused on longevity and healthy ageing, helping to support vitality, normal energy-yielding metabolism and the maintenance of normal skin. It is intended for adults seeking to preserve well-being, energy and quality of life over time.

Allergens

Contains no allergens of any kind.



Product: Anti-Aging Prime

Nutritional Information per 3 capsules

*%NRV

Blueberry fruit extract (<i>Vaccinium corymbosum</i> L.)	350mg	
Provides:		
Pterostilbene	70mg	
Liposomal B-NAD ⁺ (B-NAD ⁺ , sunflower lecithin, gum arabic) (LipoAvail™)	200mg	
Provides:		
NAD ⁺	100mg	
Dry pea seed extract (10:1) (<i>Pisum sativum</i>)	200mg	
Provides:		
Spermidine	2mg	
Magnolia officinalis bark extract (18:1)	150mg	
Provides:		
Magnolol	71,25mg	
Honokiol	64,50mg	
Dry pomegranate fruit extract (<i>Punica granatum</i> L.)	142,86mg	
Provides:		
Ellagic acid	100mg	
Quercetin (98% granular extract) - flower (20:1) (<i>Sophora japonica</i>)	100mg	
Glycoless®	100mg	
Provides:		
Carcinine dihydrochloride	10mg	
L-taurine	60mg	
Reduced L-glutathione	50mg	
Shilajit resin extract (<i>Asphaltum punjabinum</i>)	40mg	
Provides:		
Fulvic acids	6,67mg	
Saffron stigma extract (<i>Crocus sativus</i> L.)	10mg	
Provides:		
Safranal	0,07mg	
Dry black pepper fruit extract (<i>Piper nigrum</i> L.)	5,26mg	
Provides:		
Piperine	5mg	
D-biotin (biotin)	2000µg	4000%*

Product: Anti-Aging Prime

Ingredients

Vegetable capsule shell (hydroxypropyl methylcellulose); Blueberry fruit extract (Pterostilbene) (*Vaccinium corymbosum* L.); Microcrystalline cellulose (bulking agent); Liposomal B-NAD⁺ (NAD⁺) (LipoAvail™); Dry pea seed extract (10:1) (Spermidine) (*Pisum sativum*); *Magnolia officinalis* bark extract (18:1) (Magnolol, Honokiol); Dry pomegranate fruit extract (Ellagic acid) (*Punica granatum* L.); Quercetin (98% granular extract) - flower (20:1) (*Sophora japonica*); Glycoless® (Carcinine dihydrochloride); L-aurine; Reduced L-glutathione; Shilajit resin extract (Fulvic acids) (*Asphaltum punjabinum*); Magnesium salts of vegetable fatty acids (anti-caking agent); Silicon dioxide (anti-caking agent); Saffron stigma extract (Safranal) (*Crocus sativus* L.); Dry black pepper fruit extract (Piperine) (*Piper nigrum* L.); D-biotin (biotin).

Product: Anti-Aging Prime

Information on constituents

Pterostilbene: Activation of sirtuins (especially SIRT1), mitochondrial protection, reduction of oxidative stress, improved insulin sensitivity, cognitive support, cardiovascular health and modulation of chronic inflammation.

NAD⁺: Support of cellular energy metabolism, mitochondrial function, DNA repair (PARPs), sirtuin activity, healthy ageing, vitality and muscle function.

Spermidine: Induction of autophagy, cellular renewal, cardiovascular protection, neuroprotection, maintenance of cellular homeostasis and promotion of longevity in experimental models.

Magnolol: Potent anti-inflammatory and antioxidant activity, neuronal protection, reduction of cellular senescence, modulation of the neuroendocrine axis and support for brain ageing.

Honokiol: Mitochondrial protection, modulation of inflammation (NF-κB), antioxidant activity, cognitive support, healthy brain ageing and potential senolytic activity under investigation.

Ellagic acid: Antioxidant activity, DNA protection, reduction of glycation, modulation of the gut microbiota, formation of urolithins (microbiota-dependent) and support for cardiovascular health.

Quercetin: Senolytic activity (in combination with other compounds), reduction of inflammation, vascular protection, modulation of the immune response, improved endothelial function and antioxidant activity.

Carcinine dihydrochloride: Inhibition of advanced glycation (AGEs), protection of structural proteins (such as collagen), protection against carbonylation, support for skin youthfulness and eye health.

L-taurine: Maintenance of mitochondrial function, osmotic balance, cardiovascular health, muscle function, immune support, reduction of inflammation and improved functional capacity during ageing. Recent studies associate higher taurine levels with healthier ageing.

Reduced L-glutathione: Primary intracellular antioxidant, detoxification, mitochondrial protection, maintenance of immune function, DNA protection and reduction of age-related oxidative stress.

Fulvic acids: Potential improvement in the absorption of minerals and phytochemicals, antioxidant activity, support for mitochondrial function and cellular homeostasis. Specific clinical evidence exists in anti-ageing.

Product: Anti-Aging Prime

Information on constituents

Piperine: Increases the bioavailability of various nutrients and intestinal absorption, with potential antioxidant and anti-inflammatory activity. In anti-ageing formulas, its main role is to enhance the effects of other ingredients.

D-biotin: Maintenance of normal energy metabolism and an important role in cellular function.

Safranal: Neuroprotection, cognitive support, improved mood, reduction of oxidative stress, mitochondrial protection and potential protection against age-related cognitive decline.

Product: Anti-Aging Prime

References

-
- McCormack D, McFadden D. A Review of Pterostilbene Antioxidant Activity and Disease Modification. Oxidative Medicine and Cellular Longevity. 2013.
 - Kapetanovic IM et al. Pharmacokinetics, Oral Bioavailability and Metabolic Profile of Pterostilbene. Cancer Chemotherapy and Pharmacology. 2011.
 - Riche DM et al. Pterostilbene on cardiometabolic biomarkers. Journal of Clinical Lipidology. 2014.
 - Yoshino J, Baur JA, Imai SI. NAD⁺ Intermediates: The Biology and Therapeutic Potential of NMN and NR.Cell Metabolism. 2018.
 - Covarrubias AJ et al. NAD⁺ metabolism and its roles in cellular processes during ageing.Nature Reviews Molecular Cell Biology. 2021.
 - Verdin E. NAD⁺ in Aging, Metabolism and Neurodegeneration. Science. 2015.
 - Madeo F et al. Nutritional Aspects of Spermidine. Annual Review of Nutrition. 2020. ([Annual Reviews](#))
 - Zou D et al. A comprehensive review of spermidine. Comprehensive Reviews in Food Science and Food Safety. 2022. ([PubMed](#))
 - Madeo F, Eisenberg T, Kroemer G. Spermidine: a physiological autophagy inducer.Autophagy. 2018.
 - Shen JL et al. Magnolol: Pharmacological Activities and Molecular Mechanisms. Archives of Pharmacal Research. 2010.
 - Wang X et al. Magnolol and Human Health. International Journal of Molecular Sciences. 2019.
 - Fried LE, Arbiser JL. Honokiol: A Review of its Anticancer Potential and Other Pharmacological Properties. Cancer Letters. 2009.
 - Lin JW et al. Honokiol: Pharmacological Effects and Mechanisms. BioFactors. 2020.
 - Ceci C et al. Ellagic Acid: Biological Properties and Molecular Mechanisms. Nutrients. 2018.
 - Landete JM. Ellagitannins, Ellagic Acid and Their Metabolites. Food Research International. 2011.
 - Xu M et al. Senolytics improve physical function and increase lifespan in old age.Nature Medicine. 2018.
 - Kirkland JL, Tchkonja T. Senolytic drugs: from discovery to translation. Journal of Internal Medicine. 2020.
 - Li Y et al. Quercetin, Inflammation and Healthy Ageing.Nutrients. 2016.
 - Hipkiss AR. Carnosine and Its Possible Roles in Nutrition and Health. Advances in Food and Nutrition Research. 2009.
 - Aldini G et al. Carnosine and Carnosine-Related Compounds: Antiglycation and Anti-ageing Activities.Current Medicinal Chemistry. 2011.
 - Singh S et al. Taurine deficiency as a driver of aging. Science. 2023.
 - Ripps H, Shen W. Review: Taurine—A Very Essential Amino Acid. Molecular Vision. 2012.
 - De Luca A et al. Taurine and Healthy Aging. Nutrients. 2023.
 - Wu G et al. Glutathione Metabolism and Implications for Health. Journal of Nutrition. 2004.
 - Forman HJ et al. Glutathione: Overview of its Protective Roles. Archives of Biochemistry and Biophysics. 2009.
 - Cornejo A et al. Fulvic Acid in Medicine and Health. Journal of Medicinal Food. 2021.
 - Winkler J, Ghosh S. Therapeutic Potential of Fulvic Acid. Journal of Ayurveda and Integrative Medicine. 2018.
 - Lopresti AL, Drummond PD. Saffron (Crocus sativus): A Systematic Review of Clinical Studies. Human Psychopharmacology. 2014.
 - Hosseinzadeh H, Noraei NB. Anxiolytic and Antidepressant Effects of Crocus sativus and Safranal. Phytotherapy Research. 2009.
 - Srinivasan K. Black Pepper and Piperine: A Review. Critical Reviews in Food Science and Nutrition. 2007.
 - Atal CK et al. Piperine as a Bioavailability Enhancer. Indian Drugs. 1985.
 - National Institutes of Health. Biotin Fact Sheet for Health Professionals.
 - Zempleni J et al. Biotin. Advances in Nutrition. 2009.

Product: Anti-Aging Prime

References

- López-Otín C et al. The Hallmarks of Aging. Cell. 2013.
- López-Otín C et al. Hallmarks of Aging: An Expanding Universe. Cell. 2023.
- Toxicology of pharmaceutical and nutritional longevity compounds. Expert Reviews in Molecular Medicine. 2023. ([Cambridge](#))
- Unveiling the Longevity Potential of Natural Phytochemicals. Current Issues in Molecular Biology. 2024. ([PubMed Central \(PMC\)](#))